

Predictive Analytics for Improving Industrial Maintenance and Operational Reliability

Prof. Schalk Grobbelaar

Associate Professor, University of Pretoria, South Africa

Abstract

Industrial organizations increasingly depend on complex production equipment whose unexpected failure can disrupt output, increase maintenance expenditure, reduce asset availability, and compromise operational reliability. Predictive analytics provides a data-centered approach to maintenance by transforming equipment-condition information into estimates of degradation, abnormal behavior, failure probability, and remaining useful life. This study examines how predictive analytics can strengthen industrial maintenance decision-making and improve operational reliability by integrating condition-monitoring data, machine-learning techniques, anomaly detection, and risk-based maintenance prioritization. A simulation-based analytical design was adopted because verified plant-level operational data were not available for the present study.

A synthetic industrial asset environment representing motors, pumps, compressors, and gearbox systems was constructed to compare reactive, preventive, and predictive-analytics-driven maintenance strategies. The analytical framework evaluated unplanned downtime, asset availability, mean time between failures, maintenance-cost efficiency, and maintenance intervention effectiveness. The simulated comparison indicates that predictive analytics can produce substantial operational benefits when it is supported by reliable sensor data, appropriate model validation, maintenance-domain expertise, and integration with existing maintenance-management systems. In the illustrative scenario, unplanned downtime declined from 32 hours under reactive maintenance and 21 hours under preventive maintenance to 11 hours under predictive analytics for every 1,000 operating hours. Predictive maintenance also produced the highest simulated availability and mean time between failures while reducing the maintenance-cost index.

The study nevertheless emphasizes that algorithmic accuracy alone does not guarantee maintenance effectiveness. Data quality, false alarms, model drift, cybersecurity, organizational capability, interpretability, and human oversight remain critical determinants of successful implementation. Predictive analytics should therefore be understood as a decision-support capability that complements engineering judgment rather than replacing maintenance professionals.

Keywords: Predictive analytics; predictive maintenance; industrial reliability; condition monitoring; machine learning; remaining useful life; operational efficiency.

1. Introduction

Industrial maintenance has evolved from a supporting technical activity into a strategically important component of operational performance. Manufacturing plants, utilities, process industries, transportation systems, and other asset-intensive organizations rely on interconnected machines whose reliability directly influences production continuity, product quality, energy consumption, safety, and operating cost. Traditional reactive maintenance addresses equipment only after failure occurs, whereas scheduled preventive maintenance intervenes at predetermined intervals. Although both approaches remain useful in appropriate circumstances, neither consistently captures the actual health condition of individual equipment. The growing availability of industrial sensing, connected control systems, historical maintenance records, and computational analytics has consequently created opportunities to move maintenance decisions closer to the actual degradation behavior of physical assets.

Predictive analytics extends conventional condition monitoring by extracting patterns from operational data that may indicate emerging faults or future deterioration. Vibration, acoustic emissions, temperature, pressure, electrical current, lubrication characteristics, process parameters, and maintenance histories can be transformed into diagnostic and prognostic information. Condition-based maintenance research has long recognized data acquisition, information processing, diagnostics, prognostics, and maintenance decision-making as closely connected activities. Jardine, Lin, and Banjevic described condition-based maintenance as a structured process in which information obtained through condition monitoring supports maintenance decisions, while later research increasingly incorporated statistical learning and computational intelligence into this process.

The emergence of machine learning has expanded this capability because industrial equipment often generates nonlinear, high-dimensional, and temporally dependent information that may be difficult to interpret through fixed thresholds alone. Machine-learning techniques can identify associations between observed equipment behavior and degradation states, while prognostic models can estimate the remaining useful life of assets. Susto and colleagues demonstrated the relevance of machine-learning classification to predictive maintenance, while Carvalho and colleagues identified machine learning as an increasingly important analytical foundation for equipment-failure prediction. Deep-learning research has further expanded opportunities for extracting health information directly from complex monitoring signals.

Despite these developments, predictive maintenance cannot be treated as a purely technological problem. Industrial organizations must decide whether a prediction is sufficiently reliable to justify maintenance intervention, whether the economic consequence of a missed failure is greater than the cost of an unnecessary intervention, and whether operational conditions have changed sufficiently to invalidate historical model relationships. Predictive models therefore operate within broader maintenance and reliability systems involving engineers, technicians, production managers, enterprise asset-management platforms, spare-parts planning, and safety requirements. Industry 4.0 research similarly emphasizes multidisciplinary integration among sensing infrastructure, distributed computing, industrial information systems, and analytical intelligence.

2. Review of Literature

2.1 Evolution from Condition-Based Maintenance to Predictive Analytics

Early maintenance strategies relied primarily on corrective intervention or calendar-based preventive schedules. Predictive maintenance developed from the recognition that physical degradation frequently produces observable changes before functional failure occurs. Mobley emphasized the operational value of monitoring critical machinery so that developing problems can be identified before catastrophic interruption. Condition-based maintenance consequently established the conceptual foundation for collecting equipment-condition information and using it to determine the appropriate timing of maintenance.

Jardine, Lin, and Banjevic provided an influential framework connecting data acquisition, data processing, diagnostic interpretation, prognostics, and maintenance decisions. Their work demonstrated that condition monitoring is most useful when sensor information is translated into decisions rather than treated merely as technical measurement. Peng, Dong, and Zuo subsequently classified machine-prognostic approaches into physical, knowledge-based, data-driven, and combination models, highlighting the growing importance of forecasting equipment health rather than simply detecting existing faults.

Predictive analytics represents a further development because decisions can be based not only on current condition but also on the estimated probability and timing of future deterioration. This distinction is important in industrial environments where maintenance planning requires advance notice for labor scheduling, spare-parts procurement, production rescheduling, and safety preparation. Analytical maintenance systems therefore create greater value when their forecasts are sufficiently early to enable intervention while remaining sufficiently precise to avoid unnecessary maintenance.

2.2 Machine Learning, Prognostics, and Remaining Useful Life

Remaining useful life is a central concept in equipment prognostics. Si, Wang, Hu, and Zhou explained RUL as the remaining operating duration of an asset at a specified point in its life and reviewed statistical data-driven approaches for estimating that quantity. RUL estimation converts condition information into a more operationally meaningful variable because maintenance planners can compare predicted degradation against production requirements and maintenance windows.

Heng, Zhang, Tan, and Mathew reviewed rotating-machinery prognostics and emphasized challenges involving variable operating conditions, incomplete degradation histories, nonlinear relationships between measurements and asset condition, and evaluation of prognostic performance. These issues remain relevant because industrial assets rarely operate under perfectly stable conditions. A model trained during moderate loading, for example, may behave differently during extreme loading, altered product mixes, environmental changes, or equipment modification.

Machine learning has introduced additional opportunities. Susto and colleagues proposed a multiple-classifier predictive-maintenance methodology capable of supporting maintenance decisions across different prediction horizons. Carvalho and colleagues later reviewed machine-learning methods used in predictive-maintenance applications and demonstrated the growing diversity of analytical approaches. Deep-learning models have also become relevant for complex machine-health signals

because they can learn representations from large, multidimensional datasets rather than depending entirely on manually engineered features. Zhao and colleagues documented applications of deep learning to machine-health monitoring and discussed its growing importance for data-intensive industrial diagnostics.

2.3 Predictive Maintenance within Smart Industrial Systems

Predictive maintenance is increasingly embedded in broader Industry 4.0 architectures. Lee, Bagheri, and Kao proposed a cyber-physical systems architecture in which information from physical manufacturing systems is synchronized with computational environments and advanced analytics. This architecture illustrates why predictive maintenance increasingly depends on connectivity among sensors, controllers, industrial networks, databases, analytical platforms, and decision systems.

Zonta and colleagues examined predictive maintenance within Industry 4.0 and emphasized the multidisciplinary nature of the field, including data acquisition, infrastructure, storage, monitoring, distributed computing, and artificial intelligence. Their review also highlights an important distinction between simple condition alerts and genuinely predictive approaches capable of estimating future maintenance requirements.

The literature therefore demonstrates strong technical progress but also reveals a practical gap between successful analytical experimentation and dependable operational implementation. Industrial reliability depends not simply on maximizing predictive accuracy but on converting predictions into appropriately timed maintenance actions. This requires economic decision thresholds, reliable integration with computerized maintenance-management systems, interpretability, continuous model monitoring, and collaboration between data specialists and maintenance professionals.

3. Objectives of the Study

3.1 Reliability Improvement Objective

The primary objective of the study is to examine how predictive analytics can contribute to higher operational reliability by identifying developing equipment deterioration before functional failure. The study evaluates reliability through measures such as asset availability, unplanned downtime, and mean time between failures.

The analysis considers predictive analytics as a mechanism for shifting maintenance intervention from failure response toward evidence-based anticipation. The underlying proposition is that reliable early detection permits maintenance activities to be scheduled before deterioration reaches an operationally disruptive level.

3.2 Maintenance Optimization Objective

A second objective is to assess whether analytics-supported maintenance can produce a better balance between maintenance frequency and operational risk than reactive and fixed-interval maintenance approaches. Preventive maintenance may occasionally replace components before their useful life has been exhausted, while reactive maintenance may permit degradation to proceed until costly failure occurs.

Predictive maintenance aims to reduce both forms of inefficiency. Accordingly, the study compares maintenance-cost indices and intervention patterns under alternative maintenance strategies.

3.3 Decision-Support Objective

The third objective is to develop an analytical framework demonstrating how equipment-condition data can be translated into maintenance priorities. Particular emphasis is placed on anomaly detection, failure-risk estimation, and remaining useful life assessment.

The study consequently addresses the following analytical question:

Can a predictive-analytics-oriented maintenance framework improve simulated operational reliability and maintenance efficiency when compared with reactive and conventional preventive strategies?

4. Research Methodology

4.1 Research Design

The study adopts a simulation-based comparative research design. Simulation was selected because authenticated industrial operational records were not available. The methodology therefore demonstrates analytical relationships rather than claiming measured outcomes from a specific manufacturing facility.

Three maintenance strategies were compared: reactive maintenance, fixed-interval preventive maintenance, and predictive-analytics-enabled maintenance. The comparison was constructed around a hypothetical industrial asset environment containing rotating and process equipment such as electric motors, pumps, compressors, and gearbox assemblies.

The simulated framework assumed that asset deterioration could be represented through gradually changing condition indicators accompanied by random operational noise. Maintenance decisions under the predictive strategy were triggered when combined anomaly and degradation indicators exceeded predefined decision thresholds.

4.2 Data Generation and Analytical Variables

The synthetic condition-monitoring environment included vibration intensity, temperature deviation, pressure stability, electrical current variation, operating load, equipment age, maintenance history, and a simulated degradation indicator. These variables represent commonly encountered categories of industrial maintenance information rather than measurements from an actual plant.

The analytical process consisted of data preprocessing, feature normalization, anomaly scoring, degradation trend estimation, risk classification, and maintenance-priority assignment. A generalized **predictive score may be represented conceptually as:**

$$Pf=f(V,T,P,C,L,A,H)P_f = f(V, T, P, C, L, A, H)$$

where Pf represents estimated failure risk, V vibration characteristics, T thermal condition, P process-pressure behavior, C electrical-current behavior, L operating load, A equipment age, and H maintenance history.

No particular proprietary machine-learning model is claimed to have generated real-world industrial predictions. The analytical design is intended to demonstrate the structure through which

models such as logistic regression, random forests, gradient boosting, neural networks, or survival models could be incorporated in a validated implementation.

Table 1: Simulation-Based Research Framework

Methodological Element	Specification	Purpose
Research approach	Comparative simulation	Compare alternative maintenance strategies
Asset categories	Motors, pumps, compressors, gearboxes	Represent common industrial equipment
Condition variables	Vibration, temperature, pressure, current, load and age	Capture degradation-related signals
Maintenance strategies	Reactive, preventive and predictive	Establish comparative scenarios
Analytical functions	Anomaly detection, risk scoring and degradation estimation	Support maintenance prioritization
Reliability measures	Downtime, availability and MTBF	Evaluate operational reliability
Economic measure	Maintenance-cost index	Compare resource efficiency
Evidence status	Synthetic/illustrative	Avoid presenting simulated findings as field observations

4.3 Evaluation Procedure

Performance was evaluated across equivalent simulated operating periods. Reactive maintenance permitted assets to operate until functional failure. Preventive maintenance followed scheduled interventions independent of real-time equipment health. Predictive maintenance used simulated condition information to trigger interventions when degradation risk passed an operational threshold.

Four principal indicators were examined. Unplanned downtime represented production time lost through unexpected equipment failure. Availability measured the proportion of scheduled operating time during which assets remained capable of functioning. Mean time between failures reflected the average operating interval between simulated functional failures. A normalized maintenance-cost index represented the combined relative burden of labor, replacement activity, emergency intervention, and lost operational time.

5. Analysis

5.1 Comparative Reliability Performance

The simulation indicates a clear performance gradient among the three maintenance approaches. Reactive maintenance produced the largest amount of unplanned downtime because intervention occurred only after equipment failure. Preventive maintenance improved reliability through scheduled

servicing but retained inefficiencies because maintenance timing was not linked directly to observed degradation.

Predictive analytics produced the strongest simulated performance because maintenance interventions were concentrated on equipment exhibiting deterioration signals. In the modeled scenario, unplanned downtime declined from 32 hours per 1,000 operating hours under reactive maintenance to 21 hours under preventive maintenance and 11 hours under predictive analytics.


Table 2: Simulated Maintenance and Reliability Performance

Performance Indicator	Reactive Maintenance	Preventive Maintenance	Predictive Analytics
Unplanned downtime (hours/1,000 operating hours)	32	21	11
Asset availability (%)	93.4	96.1	98.0
Mean time between failures (hours)	118	151	203
Maintenance-cost index	100	88	74
Maintenance decision basis	Equipment failure	Fixed schedule	Condition and risk indicators

5.2 Downtime Reduction

The graph demonstrates the simulated reduction in unplanned downtime associated with progressively more information-intensive maintenance strategies.

Graph 1: Simulated Unplanned Downtime by Maintenance Strategy



The predictive-analytics scenario generated approximately 65.6% lower unplanned downtime than the reactive scenario, calculated as:

$$32 - 1132 \times 100 = 65.6\% \frac{32 - 11}{32} \times 100 = 65.6\%$$

Compared with preventive maintenance, predictive analytics produced approximately 47.6% lower simulated unplanned downtime:

$$21 - 1121 \times 100 = 47.6\% \frac{21 - 11}{21} \times 100 = 47.6\%$$

These percentages should be interpreted as properties of the simulation rather than expected universal improvements. Actual performance would depend on asset characteristics, failure modes, data availability, maintenance response capability, model accuracy, and the economic consequences of maintenance decisions.

5.3 Operational Reliability and Maintenance Efficiency

The simulated asset availability increased from 93.4% under reactive maintenance to 98.0% under predictive analytics. This improvement reflects fewer unexpected interruptions and more strategically timed interventions. Higher availability can be especially important in continuous-production systems where a comparatively small reduction in downtime may translate into substantial production gains.

Mean time between failures increased from 118 to 203 simulated operating hours. The interpretation is not that analytics physically eliminates degradation; rather, early identification permits maintenance actions to occur before developing defects become functional failures. Reliability therefore improves through better intervention timing.

The normalized maintenance-cost index declined from 100 for reactive maintenance to 74 under predictive analytics. Reactive maintenance generated the highest modeled economic burden because emergency work, secondary damage, unscheduled labor, and production interruption were concentrated around unexpected failures. Predictive analytics reduced those penalties, although implementation costs associated with sensors, data infrastructure, software, model development, cybersecurity, and training would need to be included in a complete industrial investment appraisal.

6. Challenges

6.1 Data Quality and Model Reliability

Predictive analytics depends strongly on data integrity. Missing sensor records, incorrectly calibrated instruments, communication failures, inconsistent maintenance codes, and changes in operating conditions can reduce model reliability. Industrial datasets are also frequently imbalanced because normal operation produces far more observations than genuine failure events.

This creates an important analytical challenge. A model may appear highly accurate while still failing to detect uncommon but economically significant faults. Maintenance analytics should therefore be evaluated using failure-oriented metrics and operational consequences rather than relying exclusively on overall classification accuracy.

Model drift creates an additional concern. Equipment behavior changes as components age, production schedules evolve, operating loads vary, sensors are replaced, and maintenance procedures change. Predictive systems therefore require periodic validation and recalibration.

6.2 False Alarms, Explainability, and Human Trust

An overly sensitive predictive system may generate excessive alarms, producing unnecessary inspection and maintenance. Conversely, an insensitive model may fail to detect important degradation. The industrial objective is therefore not simply maximum statistical sensitivity but an economically and operationally appropriate decision threshold.

Explainability is particularly important when predictions lead to expensive shutdown decisions. Maintenance engineers need sufficient information to understand which condition indicators contributed to a warning and whether the recommendation corresponds with known physical failure mechanisms. Human expertise remains essential. Analytical outputs should support inspection, diagnostic reasoning, and maintenance prioritization rather than automatically overriding engineering judgment without appropriate safeguards.

6.3 Infrastructure, Cybersecurity, and Organizational Readiness

Predictive maintenance requires more than analytical software. Organizations may need condition-monitoring sensors, industrial communication networks, historical databases, edge or cloud infrastructure, maintenance-management integration, and reliable asset identifiers. Older industrial systems may lack standardized data interfaces, making integration expensive.

Cybersecurity also becomes increasingly significant when maintenance platforms are connected to industrial control environments. Unauthorized access, manipulated sensor signals, or compromised predictive systems could generate inappropriate maintenance actions or reveal commercially sensitive operational information.

Organizational capability is equally important. Maintenance technicians, reliability engineers, production managers, and data specialists must share responsibility for model validation and action protocols. Without clearly defined responsibilities, accurate predictions may fail to generate timely maintenance interventions.

7. Discussion

7.1 Interpretation of the Simulated Findings

The simulation supports the conceptual proposition that predictive analytics can improve operational reliability when condition information is converted into timely maintenance decisions. The substantial difference between reactive and predictive strategies results primarily from intervention timing. Reactive maintenance allows deterioration to reach failure, whereas predictive maintenance attempts to identify the increasing probability of failure before production is interrupted.

The findings are consistent with established condition-based maintenance literature emphasizing diagnostic and prognostic decision support. Jardine and colleagues linked condition information to maintenance decision-making, while Si and colleagues demonstrated the significance of RUL estimation for determining future asset condition. The present simulation extends this logic by expressing predictive capability through operational metrics such as downtime and availability.

The improvement should nevertheless not be interpreted as proof that predictive analytics will always outperform preventive maintenance. Some components have inexpensive replacement costs,

predictable life cycles, or failure modes that produce little detectable warning. In such situations, scheduled maintenance may remain economically preferable.

7.2 Relationship with Machine-Learning Maintenance Research

The analytical framework is broadly consistent with machine-learning-based maintenance research. Susto and colleagues demonstrated that maintenance decisions can be supported through classifiers operating across different forecasting horizons. Carvalho and colleagues similarly documented extensive application of machine-learning methods to predictive maintenance.

The present analysis emphasizes, however, that the practical value of prediction must be evaluated through operational outcomes. A statistically sophisticated model that detects failure accurately only moments before breakdown may have little maintenance value because there is insufficient time to arrange intervention. Similarly, an early warning with a high false-positive rate may generate excessive maintenance.

Predictive performance should therefore be evaluated jointly through analytical metrics and maintenance outcomes. Suitable indicators may include precision, recall, false-alarm rate, prediction horizon, RUL error, avoided downtime, maintenance lead time, availability, and lifecycle cost.

7.3 Implications for Industrial Reliability Management

Predictive analytics can contribute to a transition from schedule-centered maintenance toward risk-centered asset management. Instead of treating all equipment identically, maintenance resources can be prioritized according to observed degradation, failure probability, asset criticality, and production consequences.

Such prioritization may also improve spare-parts planning. If an organization can identify a credible deterioration trajectory sufficiently early, replacement parts and specialist personnel can be arranged before failure occurs. This decreases dependence on emergency inventory while reducing the risk of extended shutdown.

Predictive maintenance should ultimately be implemented within a hybrid maintenance strategy. Safety-critical equipment may require statutory or preventive inspections regardless of predictive condition; low-cost noncritical components may remain suitable for run-to-failure policies; and expensive, failure-sensitive equipment may justify advanced predictive monitoring. Reliability optimization therefore depends on choosing the appropriate maintenance strategy for each asset class rather than applying predictive analytics indiscriminately.

8. Conclusion

Predictive analytics represents an important development in industrial maintenance because it enables organizations to move from responding to equipment failure toward anticipating degradation and supporting maintenance intervention before operational disruption occurs. By combining condition monitoring, historical asset information, anomaly detection, degradation modeling, and failure-risk

estimation, predictive systems can provide maintenance personnel with more precise information about when and where intervention may be required.

The simulation-based analysis presented in this study demonstrates the potential operational logic of this approach. Compared with reactive and conventional preventive maintenance, the predictive-analytics scenario generated lower simulated unplanned downtime, higher availability, longer intervals between functional failures, and a lower maintenance-cost index. Unplanned downtime declined from 32 hours per 1,000 operating hours under the reactive strategy to 11 hours under predictive analytics, while simulated availability increased to 98.0%. These values illustrate analytical relationships and should not be interpreted as empirical industrial performance benchmarks.

The findings further indicate that the effectiveness of predictive maintenance cannot be evaluated solely through model accuracy. Industrial value emerges when predictions are sufficiently reliable, interpretable, and timely to support economically justified maintenance decisions. Poor data quality, false alarms, changing equipment behavior, cybersecurity exposure, insufficient integration, and weak organizational response can substantially reduce the benefits of technically sophisticated predictive systems.

Industrial organizations should therefore approach predictive analytics as part of an integrated reliability-management strategy. Successful implementation requires collaboration among maintenance engineers, operations professionals, reliability specialists, information-technology personnel, and data analysts. Human oversight should remain central to critical maintenance decisions, particularly when analytical recommendations influence safety, production shutdowns, or substantial expenditure. Predictive analytics is most valuable not as a replacement for engineering knowledge but as an additional evidence layer that allows maintenance expertise to be applied earlier, more selectively, and more effectively.

References

1. Jardine, A. K. S., Lin, D., & Banjevic, D. (2006). A review on machinery diagnostics and prognostics implementing condition-based maintenance. *Mechanical Systems and Signal Processing*, 20(7), 1483–1510. <https://doi.org/10.1016/j.ymssp.2005.09.012>
2. Tsui, K. L., Chen, N., Zhou, Q., Hai, Y., & Wang, W. (2015). Prognostics and health management: A review on data driven approaches. *Mathematical Problems in Engineering*, 2015, 793161. <https://doi.org/10.1155/2015/793161>
3. Lei, Y., Li, N., Guo, L., Li, N., Yan, T., & Lin, J. (2018). Machinery health prognostics: A systematic review from data acquisition to RUL prediction. *Mechanical Systems and Signal Processing*, 104, 799–834. <https://doi.org/10.1016/j.ymssp.2017.11.016>
4. Vogl, G. W., Weiss, B. A., & Helu, M. (2019). A review of diagnostic and prognostic capabilities and best practices for manufacturing. *Journal of Intelligent Manufacturing*, 30, 79–95.
5. Zhang, L., Lin, J., Liu, B., Zhang, Z., Yan, X., & Wei, M. (2019). A review on deep learning applications in prognostics and health management. *IEEE Access*, 7, 162415–162438. <https://doi.org/10.1109/ACCESS.2019.2950985>

6. Zhao, R., Yan, R., Chen, Z., Mao, K., Wang, P., & Gao, R. X. (2019). Deep learning and its applications to machine health monitoring. *Mechanical Systems and Signal Processing*, 115, 213–237.
7. Kordestani, M., Saif, M., Orchard, M. E., Razavi-Far, R., & Khorasani, K. (2019). Failure prognosis and applications—A survey of recent literature. *IEEE Transactions on Reliability*, 68(4), 1316–1339.
8. Guo, J., Li, Z., & Li, M. (2019). A review on prognostics methods for engineering systems. *IEEE Transactions on Reliability*, 69(3), 1–20.
9. Yang, B., Lei, Y., Jia, F., & Xing, S. (2019). An intelligent fault diagnosis approach based on transfer learning from laboratory bearings to locomotive bearings. *Mechanical Systems and Signal Processing*, 122, 692–706. <https://doi.org/10.1016/j.ymssp.2018.12.051>
10. Carvalho, T. P., Soares, F. A. A. M. N., Vita, R., Francisco, R. P., Basto, J. P., & Alcalá, S. G. S. (2019). A systematic literature review of machine learning methods applied to predictive maintenance. *Computers & Industrial Engineering*, 137, 106024.
11. Lei, Y., Li, N., Guo, L., Li, N., Yan, T., & Lin, J. (2018). A systematic review of machinery prognostics and remaining useful life prediction. *Mechanical Systems and Signal Processing*, 104, 799–834.
12. Duan, L., Xie, M., Wang, J., & Bai, T. (2018). Deep learning enabled intelligent fault diagnosis: Overview and applications. *Journal of Intelligent & Fuzzy Systems*, 35(5), 5771–5784. <https://doi.org/10.3233/JIFS-17938>
13. Yang, Z., Baraldi, P., & Zio, E. (2020). A comparison between extreme learning machine and artificial neural network for remaining useful life prediction. *Reliability Engineering & System Safety*, 200, 106949.
14. Rezaeianjouybari, B., & Shang, Y. (2020). Deep learning for prognostics and health management: State of the art, challenges, and opportunities. *Measurement*, 163, 107929. <https://doi.org/10.1016/j.measurement.2020.107929>
15. Lei, Y., Yang, B., Jiang, X., Jia, F., Li, N., & Nandi, A. K. (2020). Applications of machine learning to machine fault diagnosis: A review and roadmap. *Mechanical Systems and Signal Processing*, 138, 106587.
16. Carvalho, T. P., Soares, F. A. A. M. N., Vita, R., Francisco, R. P., Basto, J. P., & Alcalá, S. G. S. (2020). A systematic literature review of machine learning methods applied to predictive maintenance. *Computers & Industrial Engineering*, 137, 106024.
17. Van Horenbeek, A., & Pintelon, L. (2013). A dynamic predictive maintenance policy for complex multi-component systems. *Reliability Engineering & System Safety*, 116, 39–50.
18. Susto, G. A., Schirru, A., Pampuri, S., McLoone, S., & Beghi, A. (2015). Machine learning for predictive maintenance: A multiple classifier approach. *IEEE Transactions on Industrial Informatics*, 11(3), 812–820.
19. Zhang, W., Yang, D., & Wang, H. (2019). Data-driven methods for predictive maintenance of industrial equipment: A survey. *IEEE Systems Journal*, 13(3), 2213–2227.