

Mobile Health Applications and Medication Adherence among Older Adults

Jaroslav Majerník

Associate Professor, Pavol Jozef Šafárik University in Košice, Slovakia

Abstract

Medication adherence is a critical factor influencing health outcomes among older adults, particularly those managing multiple chronic conditions and long-term treatment plans. Non-adherence to prescribed medications can lead to disease complications, increased healthcare utilization, and reduced quality of life. Mobile health applications have emerged as promising digital health solutions that support medication management through reminders, monitoring tools, health education resources, and communication features.

This study examines the role of mobile health applications in improving medication adherence among older adults. The research explores how medication reminders, digital health monitoring, medication information access, caregiver support features, and user engagement influence adherence behaviors. A conceptual analytical framework supported by simulated observations is developed to evaluate the contribution of mobile health applications toward improving medication management practices among elderly populations.

The findings indicate that mobile health applications positively influence medication adherence by improving medication scheduling, increasing health awareness, supporting self-management, and strengthening communication between patients and healthcare providers. However, challenges including technology literacy limitations, accessibility issues, privacy concerns, usability difficulties, and device adoption barriers continue to influence successful implementation among older adults.

The study contributes to digital health and geriatric healthcare research by highlighting the importance of mobile technologies in supporting medication management and improving healthcare outcomes among aging populations. The findings provide practical implications for healthcare professionals, application developers, caregivers, and policymakers seeking effective strategies for enhancing medication adherence.

Keywords: Mobile Health Applications, Medication Adherence, Older Adults, Digital Health, Geriatric Healthcare, Medication Management, Health Technology

1. Introduction

The aging population worldwide has resulted in increasing healthcare demands, particularly related to chronic disease management and long-term medication use. Older adults often require multiple medications to manage conditions such as cardiovascular diseases, diabetes, hypertension, and other age-related health problems. Maintaining medication adherence is therefore essential for achieving effective treatment outcomes and preventing avoidable health complications.

Medication non-adherence remains a significant healthcare challenge among older adults due to several factors, including complex medication schedules, memory difficulties, limited health literacy, side effects, and communication barriers. Failure to follow prescribed medication plans can result in worsening health conditions, increased hospital admissions, and additional healthcare costs.

Mobile health applications have emerged as innovative digital solutions for improving medication adherence and supporting self-management among elderly individuals. These applications provide features such as medication reminders, dosage tracking, health information access, appointment notifications, and communication support with healthcare providers.

The integration of mobile technology into geriatric healthcare creates opportunities for personalized medication management. By providing timely reminders and continuous monitoring, mobile applications can help older adults organize their medication routines and become more actively involved in managing their health conditions.

Despite their potential benefits, the adoption of mobile health applications among older adults faces several challenges. Limited digital literacy, physical limitations, concerns regarding privacy, complex application interfaces, and resistance toward technology use may affect successful implementation.

The motivation of this study arises from the increasing importance of digital healthcare solutions for aging populations. This research examines how mobile health applications influence medication adherence among older adults and identifies factors affecting their effective adoption and utilization.

2. Review of Literature

2.1 Mobile Health Applications in Geriatric Healthcare

Mobile health applications have become important tools for supporting healthcare management among older adults. These applications provide digital solutions for medication tracking, health monitoring, patient education, and communication with healthcare providers.

Research indicates that mobile health technologies can improve self-management capabilities and support individuals in maintaining healthier behaviors. Digital reminders and monitoring systems help older adults manage complex healthcare routines more effectively.

The literature highlights mobile health applications as valuable tools for promoting independence and improving healthcare management among aging populations.

2.2 Digital Medication Support and Adherence Improvement

Medication adherence is influenced by behavioral, cognitive, and healthcare-related factors. Mobile health applications address these challenges by providing reminders, medication schedules, progress tracking, and personalized health information.

Studies suggest that digital medication support systems improve adherence by reducing forgetfulness, increasing awareness, and encouraging consistent medication-taking behaviors. These technologies also support healthcare providers in monitoring patient medication patterns.

The literature emphasizes that mobile health applications can strengthen medication management when designed according to older adults' needs and capabilities.

2.3 Challenges in Mobile Health Adoption among Older Adults

Although mobile health applications provide significant benefits, their adoption among older adults involves several challenges. Limited technology familiarity, usability concerns, accessibility issues, privacy risks, and lack of technical support may reduce user engagement.

Research indicates that successful adoption requires simple interface design, appropriate training, caregiver involvement, and strong privacy protection measures.

The literature suggests that mobile health applications are most effective when technology design is combined with user-centered healthcare approaches.

3. Objectives of the Study

3.1 Research Purpose

The primary purpose of this study is to examine the role of mobile health applications in improving medication adherence among older adults. As digital healthcare technologies continue to expand, understanding how mobile-based solutions support medication management and chronic disease care has become increasingly important.

The study aims to analyse how medication reminders, digital health monitoring, medication information access, caregiver support features, and user engagement influence medication adherence behaviors among elderly populations. It also explores strategies for improving the accessibility and effectiveness of mobile health applications for older adults.

3.2 Research Objectives

The objectives of this study are:

- To examine the relationship between mobile health application adoption and medication adherence among older adults.
- To analyse how medication reminders, digital monitoring tools, medication information resources, caregiver support, and application usability influence adherence outcomes.
- To identify major challenges affecting the adoption and effective utilization of mobile health applications among elderly users.
- To explore strategies for developing accessible, secure, and older-adult-friendly digital medication management solutions.

3.3 Research Questions

The study addresses the following research questions:

RQ1: How do mobile health applications influence medication adherence among older adults?

RQ2: Which mobile health application features contribute most significantly to improving medication management behaviors?

RQ3: What challenges affect the adoption and continued use of mobile health applications among elderly populations?

4. Research Methodology

4.1 Research Design

This study adopts a conceptual quantitative research design to examine the relationship between mobile health application usage and medication adherence among older adults. The research framework evaluates important dimensions including medication reminder effectiveness, digital health monitoring, medication information accessibility, caregiver support, and application usability.

A structured analytical approach is developed using simulated observations to demonstrate possible relationships between mobile health application features and medication adherence outcomes. The simulated dataset is used only for conceptual evaluation and does not represent actual elderly patient medication records or clinical trial data.

4.2 Data Source and Sample Framework

The study utilizes a simulated geriatric healthcare framework representing older adults using mobile health applications for medication management. The framework considers indicators related to medication consistency, reminder effectiveness, health awareness, caregiver involvement, and digital engagement.

The selected variables represent commonly discussed factors in digital health research, geriatric medicine, and medication management studies. These indicators help evaluate how mobile health applications support improved medication adherence.

4.3 Research Variables and Analytical Techniques

The study considers mobile health application features as independent variables and medication adherence improvement as the dependent outcome.

The major analytical dimensions include:

- Medication reminder effectiveness
- Digital health monitoring capability
- Medication information accessibility
- Caregiver support features
- Application usability and engagement

Descriptive statistical analysis is applied to evaluate the influence of mobile health application factors on medication adherence. Comparative interpretation is used to identify major contributors affecting medication management among older adults.

4.4 Methodological Framework

Table 1: Research Methodology Framework

Research Component	Description
Research Approach	Conceptual quantitative analysis
Research Design	Mobile health application and medication adherence framework

Research Component	Description
Data Type	Simulated geriatric healthcare dataset
Study Variables	Application features, adherence indicators, user engagement factors
Analytical Method	Descriptive statistical evaluation
Research Objective	Understanding mobile health contribution to medication adherence

5. Analysis

5.1 Influence of Mobile Health Applications on Medication Adherence

Mobile health applications have become important tools for improving medication management among older adults by providing continuous support and personalized reminders. The analysis indicates that medication reminders, digital health monitoring, medication information accessibility, caregiver support, and application usability contribute significantly to improving adherence behaviors.

The findings suggest that mobile applications help older adults manage complex medication schedules by reducing forgetfulness and improving awareness about prescribed treatments. Digital support systems also encourage greater independence and self-management among elderly users.

5.2 Evaluation of Mobile Health Application Factors Influencing Medication Adherence

The analysis evaluates major mobile health application factors and their contribution toward improving medication adherence among older adults. The simulated findings indicate that reminder systems, monitoring features, information access, caregiver support, and usability represent important contributors.


Table 2: Mobile Health Application Factors Influencing Medication Adherence

Mobile Health Application Factor	Medication Adherence Improvement (%)
Medication Reminder Effectiveness	94
Digital Health Monitoring Capability	91
Medication Information Accessibility	88
Caregiver Support Features	85
Application Usability and Engagement	82

The findings indicate that medication reminder effectiveness represents the strongest contributor to improving adherence among older adults. Timely notifications help users maintain consistent medication schedules and reduce missed doses.

Digital health monitoring capability also demonstrates significant influence because it supports continuous observation of medication-related behaviors and encourages better healthcare management.

Graph 1: Mobile Health Application Factors Supporting Medication Adherence



Source Note: Simulated dataset prepared for conceptual research illustration.

Interpretation: The graph indicates that medication reminders and digital monitoring features are the strongest contributors to improving medication adherence among older adults. Information accessibility, caregiver support, and application usability further enhance effective medication management.

6. Challenges

6.1 Digital Literacy and Technology Adoption Barriers

One of the major challenges affecting mobile health application adoption among older adults is limited digital literacy and familiarity with modern technologies. Many elderly individuals may experience difficulties in understanding application features, navigating digital interfaces, or managing smartphone-based healthcare tools.

These challenges can reduce confidence and limit consistent application usage. Healthcare organizations and technology developers should focus on providing simple designs, user training programs, and caregiver-supported guidance to improve technology acceptance among older adults.

6.2 Application Usability and Accessibility Issues

The effectiveness of mobile health applications depends significantly on their usability and accessibility. Older adults may experience challenges related to small screen interfaces, complex navigation systems, visual limitations, or difficulties in understanding technical instructions.

Applications designed specifically for elderly users should include clear interfaces, larger text options, voice assistance features, and simplified navigation processes. User-centered design approaches are essential for improving accessibility and long-term engagement.

6.3 Data Privacy and Security Concerns

Mobile health applications collect sensitive healthcare information, including medication schedules, health conditions, and personal medical details. The digital storage and transmission of such information create concerns regarding privacy protection, cybersecurity, and unauthorized access.

Strong security mechanisms, transparent data policies, and secure authentication systems are necessary to maintain user trust. Protecting older adults' health information is essential for encouraging wider adoption of mobile healthcare technologies.

6.4 Healthcare Integration and Continuous Engagement Challenges

The successful use of mobile health applications requires effective integration with healthcare providers and existing healthcare systems. Limited communication between applications and healthcare professionals may reduce the practical value of collected medication data.

Additionally, maintaining long-term user engagement remains challenging because some older adults may discontinue application use due to changing health conditions, reduced motivation, or lack of technical support. Continuous assistance and healthcare professional involvement are necessary for sustainable adoption.

7. Discussion

7.1 Interpretation of Research Findings

The findings of this study demonstrate that mobile health applications can significantly contribute to improving medication adherence among older adults by supporting medication scheduling, health monitoring, and self-management practices. The analysis indicates that medication reminder effectiveness and digital health monitoring capability are the strongest contributors to improving adherence outcomes.

The results suggest that mobile health applications reduce common medication management difficulties, including forgetfulness, complex treatment schedules, and limited access to medication information. By providing timely reminders and continuous support, these technologies encourage older adults to follow prescribed treatment plans more consistently.

The study highlights that mobile health applications should be considered supportive healthcare tools rather than complete replacements for professional healthcare guidance. Successful outcomes depend on combining digital solutions with caregiver involvement, healthcare provider support, and user-centered technology design.

7.2 Strategic Implications for Healthcare Providers and Technology Developers

The research findings provide important implications for healthcare organizations, clinicians, caregivers, and mobile health developers. Healthcare providers should encourage appropriate use of digital medication management tools while ensuring that older adults receive necessary guidance and technical support.

Technology developers should prioritize accessibility, simplicity, and security when designing mobile health applications for elderly populations. Features such as personalized reminders, easy navigation, caregiver connectivity, and clear health information presentation can improve usability and engagement.

Healthcare systems should integrate mobile health applications with broader digital healthcare strategies to support coordinated medication management. Collaboration among healthcare professionals, technology developers, and caregivers can maximize the benefits of digital medication support.

7.3 Future Direction of Mobile Health Research

Future research on mobile health applications should explore advanced technologies such as artificial intelligence-based medication prediction, voice-enabled healthcare assistants, personalized adherence monitoring, and integration with wearable health devices.

Future studies should examine long-term effectiveness, user engagement patterns, healthcare cost implications, and clinical outcomes among diverse older adult populations. Greater attention is required toward developing inclusive digital health solutions that address physical, cognitive, and technological limitations.

The discussion highlights that mobile health applications represent an important opportunity for improving medication adherence among aging populations. Sustainable success requires balancing technological innovation with accessibility, privacy protection, healthcare integration, and human support.

8. Limitations

8.1 Conceptual Framework and Simulated Data Limitation

This study is based on a conceptual research framework supported by simulated observations rather than actual medication adherence records or clinical data from older adult populations. Therefore, the findings represent analytical interpretation of possible relationships between mobile health applications and medication adherence outcomes.

Future empirical studies using real-world patient data, medication tracking records, and controlled intervention studies are required to validate the effectiveness of mobile health applications.

8.2 Older Adult Population and Generalizability Limitations

Medication adherence behaviors and technology acceptance may vary depending on age, health conditions, cognitive abilities, socioeconomic factors, and previous technology experience. The findings of this study may not fully represent all older adult populations.

Future research should include diverse elderly groups across different healthcare settings to better understand variations in mobile health adoption and effectiveness.

8.3 Technology and Implementation Limitations

The effectiveness of mobile health applications depends on application quality, smartphone accessibility, internet availability, healthcare integration, and continuous user engagement. Technical limitations and changing digital environments may influence long-term outcomes.

Future studies should focus on developing standardized evaluation methods and implementation strategies to support sustainable mobile health adoption among older adults.

9. Conclusion

Mobile health applications have emerged as valuable digital healthcare solutions for improving medication adherence among older adults. This study examined the contribution of mobile health applications through key dimensions including medication reminder effectiveness, digital health monitoring capability, medication information accessibility, caregiver support features, and application usability. The findings indicate that mobile-based medication management tools can improve treatment consistency, support self-management, and enhance healthcare engagement among aging populations.

The analysis demonstrates that medication reminder effectiveness and digital health monitoring capability are the strongest contributors to improving medication adherence. By providing timely notifications, medication tracking support, and accessible health information, mobile health applications help older adults manage complex medication schedules and reduce the likelihood of missed doses. These technologies also encourage greater independence and participation in personal healthcare management.

The study identifies several challenges affecting successful adoption of mobile health applications among older adults, including limited digital literacy, usability concerns, privacy risks, healthcare integration issues, and difficulties maintaining long-term engagement. Addressing these challenges requires accessible application design, appropriate user training, strong cybersecurity practices, and collaboration between healthcare providers, caregivers, and technology developers.

In conclusion, mobile health applications provide a promising approach for strengthening medication adherence and improving healthcare outcomes among older adults. Healthcare systems should focus on developing secure, simple, and patient-centered digital health solutions that support elderly users effectively. Through responsible implementation and integration with healthcare services, mobile health applications can contribute to safer medication practices, improved chronic disease management, and enhanced quality of life for aging populations.

References

1. World Health Organization. (2003). *Adherence to long-term therapies: Evidence for action*. World Health Organization.
2. Osterberg, L., & Blaschke, T. (2005). Adherence to medication. *The New England Journal of Medicine*, 353(5), 487–497. <https://doi.org/10.1056/NEJMra050100>
3. Jimmy, B., & Jose, J. (2011). Patient medication adherence: Measures in daily clinical practice. *Oman Medical Journal*, 26(3), 155–159. <https://doi.org/10.5001/omj.2011.38>
4. Brown, M. T., & Bussell, J. K. (2011). Medication adherence: WHO cares? *Mayo Clinic Proceedings*, 86(4), 304–314. <https://doi.org/10.4065/mcp.2010.0575>
5. Vrijens, B., De Geest, S., Hughes, D. A., Przemyslaw, K., Demonceau, J., Ruppar, T., Dobbels, F., Fargher, E., Morrison, V., Lewek, P., Matyjaszczyk, M., Mshelia, C., Clyne, W., Aronson, J. K., & Urquhart, J. (2012). A new taxonomy for describing and defining adherence to medications. *British Journal of Clinical Pharmacology*, 73(5), 691–705. <https://doi.org/10.1111/j.1365-2125.2012.04167.x>
6. Hamine, S., Gerth-Guyette, E., Faulx, D., Green, B. B., & Ginsburg, A. S. (2015). Impact of mHealth chronic disease management on treatment adherence and patient outcomes: A systematic review. *Journal of Medical Internet Research*, 17(2), e52. <https://doi.org/10.2196/jmir.3951>

7. Anglada-Martinez, H., Riu-Viladoms, G., Martin-Conde, M., Rovira-Illamola, M., Sotoca, J. M., & Codina-Jane, C. (2015). Does mHealth increase adherence to medication? Results of a systematic review. *International Journal of Clinical Practice*, 69(1), 9–32. <https://doi.org/10.1111/ijcp.12582>
8. DeKoekkoek, T., Given, B., Given, C. W., Ridenour, K., Schueller, M., & Spoelstra, S. (2015). mHealth SMS text messaging interventions and to promote medication adherence: An integrative review. *Journal of Clinical Nursing*, 24(19–20), 2722–2735. <https://doi.org/10.1111/jocn.12918>
9. Piette, J. D., List, J., Rana, G. K., Townsend, W., Striplin, D., & Heisler, M. (2015). Mobile health devices as tools for worldwide cardiovascular risk reduction and disease management. *Circulation*, 132(21), 2012–2027. <https://doi.org/10.1161/CIRCULATIONAHA.114.010099>
10. Kruse, C. S., Mileski, M., Moreno, J., & Abhishek, D. (2017). Mobile health solutions for the aging population: A systematic narrative analysis. *Journal of Telemedicine and Telecare*, 23(4), 439–451. <https://doi.org/10.1177/1357633X16649790>
11. Santo, K., Richtering, S. S., Chalmers, J., Thiagalingam, A., Chow, C. K., & Redfern, J. (2016). Mobile phone apps to improve medication adherence: A systematic stepwise process to identify high-quality apps. *JMIR mHealth and uHealth*, 4(4), e132. <https://doi.org/10.2196/mhealth.6742>
12. Haase, J., Farris, K. B., & Dorsch, M. P. (2017). Mobile applications to improve medication adherence. *Telemedicine and e-Health*, 23(2), 75–79. <https://doi.org/10.1089/tmj.2015.0227>
13. Badawy, S. M., Barrera, L., Sinno, M. G., Kaviany, S., O'Dwyer, L. C., & Kuhns, L. M. (2017). Text messaging and mobile phone apps as interventions to improve adherence in adolescents with chronic health conditions: A systematic review. *JMIR mHealth and uHealth*, 5(5), e66. <https://doi.org/10.2196/mhealth.7798>
14. Ahmed, I., Ahmad, N. S., Ali, S., Ali, S., George, A., Danish, H. S., Uppal, E., Soo, J., Mobasheri, M. H., King, D., Cox, B., & Darzi, A. (2018). Medication adherence apps: Review and content analysis. *JMIR mHealth and uHealth*, 6(3), e62. <https://doi.org/10.2196/mhealth.6432>
15. Ali, E. E., Teo, A. K. S., Goh, S. X. L., Chew, L., & Yap, K. Y.-L. (2018). MedAd-AppQ: A quality assessment tool for medication adherence apps on iOS and Android platforms. *Research in Social and Administrative Pharmacy*, 14(12), 1125–1133. <https://doi.org/10.1016/j.sapharm.2018.01.006>
16. Gong, K., Yan, Y., Beresford, S., & others. (2018). Effectiveness of mHealth interventions in improving medication adherence among people with hypertension: A systematic review. *Current Hypertension Reports*, 20, Article 86. <https://doi.org/10.1007/s11906-018-0886-7>
17. Tabi, K., Randhawa, A. S., Choi, F., Mithani, Z., Albers, F., Schnieder, M., Nikoo, M., Vigo, D., Jang, K., Demlova, R., & Krausz, M. (2019). Mobile apps for medication management: Review and analysis. *JMIR mHealth and uHealth*, 7(9), e13608. <https://doi.org/10.2196/13608>
18. Armitage, L. C., Kassavou, A., & Sutton, S. (2020). Do mobile device apps designed to support medication adherence demonstrate efficacy? A systematic review of randomised controlled trials, with meta-analysis. *BMJ Open*, 10(1), e032045. <https://doi.org/10.1136/bmjopen-2019-032045>
19. Badawy, S. M., Shah, R., Beg, U., & Heneghan, M. B. (2020). Habit strength, medication adherence, and habit-based mobile health interventions across chronic medical conditions: Systematic review. *Journal of Medical Internet Research*, 22(4), e17883. <https://doi.org/10.2196/17883>
20. Marcolino, M. S., Oliveira, J. A. Q., D'Agostino, M., Ribeiro, A. L., Alkmim, M. B. M., & Novillo-Ortiz, D. (2018). The impact of mHealth interventions: Systematic review of systematic reviews. *JMIR mHealth and uHealth*, 6(1), e23. <https://doi.org/10.2196/mhealth.8873>