



Deep Learning Approaches for Multidimensional Pattern Recognition and Predictive

Dr. Marcel Salathé

Professor, EPFL (École polytechnique fédérale de Lausanne), Switzerland

Abstract

The rapid growth of digital information has created significant challenges in analysing complex datasets containing multiple dimensions, interconnected variables, and evolving patterns. Traditional analytical approaches often face limitations when processing large-scale and highly complex data structures due to their dependence on predefined assumptions and limited adaptability. Deep Learning (DL) approaches have emerged as advanced computational methods capable of automatically learning hierarchical representations, identifying complex patterns, and generating accurate predictive insights from multidimensional datasets.

This study examines deep learning approaches for multidimensional pattern recognition and predictive analytics by analysing how neural network architectures improve data interpretation, feature extraction, and forecasting capabilities. The research explores the role of advanced deep learning techniques, including convolutional neural networks, recurrent neural networks, and hybrid learning models, in identifying complex relationships within diverse data environments. A simulation-based analytical framework is developed to compare traditional analytical approaches with deep learning-based models using evaluation indicators including recognition accuracy, predictive performance, computational efficiency, and model adaptability.

The findings demonstrate that deep learning approaches provide significant improvements in multidimensional pattern recognition and predictive analytics by enabling automated feature learning and advanced data modelling capabilities. The results indicate that deep learning systems effectively analyse complex information structures and generate more accurate predictions compared with conventional methods. However, successful implementation requires addressing challenges related to computational requirements, data quality, model interpretability, and deployment scalability.

The study contributes to emerging research on intelligent analytics by presenting deep learning as a powerful framework for understanding complex patterns and supporting predictive decision-making. The integration of deep neural architectures with advanced analytics methodologies provides opportunities for developing more accurate, adaptive, and intelligent data-driven systems.

Keywords: Deep Learning, Pattern Recognition, Predictive Analytics, Neural Networks, Multidimensional Data Analysis, Artificial Intelligence, Intelligent Systems.

1. Introduction

The exponential growth of digital data generated through modern technological systems has created a strong demand for advanced analytical approaches capable of understanding complex patterns and

producing accurate predictions. Organizations, research institutions, and intelligent systems increasingly depend on large-scale multidimensional datasets containing diverse variables, relationships, and dynamic characteristics. Traditional statistical and machine learning approaches have contributed significantly to data analysis; however, their performance may become limited when dealing with highly complex structures, nonlinear relationships, and large volumes of unstructured information. Deep Learning (DL) approaches have emerged as powerful computational frameworks that enable automatic feature extraction, hierarchical representation learning, and advanced pattern recognition.

Deep learning represents an advanced branch of artificial intelligence that utilizes multi-layer neural network architectures to analyse complex information patterns. Unlike conventional analytical models that require manual feature engineering, deep learning systems can automatically discover important characteristics from raw data and improve performance through continuous learning. These capabilities have enabled deep learning applications across multiple domains, including computer vision, natural language processing, healthcare analytics, financial forecasting, industrial intelligence, and scientific discovery. The ability of deep neural networks to process multidimensional information has made them essential tools for predictive analytics.

Multidimensional pattern recognition involves identifying meaningful relationships within datasets containing multiple interacting variables and complex structures. Effective recognition of such patterns is essential for predictive analytics because accurate forecasting depends on the ability to understand hidden relationships within available information. Deep learning approaches provide significant advantages in this area by combining feature learning, representation analysis, and predictive modelling capabilities. However, challenges related to computational complexity, model transparency, data requirements, and deployment efficiency remain important considerations for practical implementation.

This research investigates deep learning approaches for multidimensional pattern recognition and predictive analytics by analysing their contribution to advanced data interpretation and forecasting performance. The study examines how deep neural architectures improve recognition accuracy, predictive capability, and analytical efficiency compared with traditional approaches. Through a simulation-based analytical framework, the research evaluates deep learning models using performance indicators including recognition accuracy, predictive performance, computational efficiency, and model adaptability, providing insights into future intelligent analytics systems.

2. Review of Literature

2.1 Evolution of Deep Learning Models for Pattern Recognition

The evolution of deep learning models has transformed the field of pattern recognition by enabling advanced analysis of complex and high-dimensional datasets. Earlier pattern recognition approaches primarily relied on statistical methods and manually designed features, which limited their effectiveness in handling complex data structures. The emergence of artificial neural networks introduced adaptive learning capabilities, while modern deep learning architectures further improved recognition performance through automated feature extraction and hierarchical representation learning.

Recent research demonstrates that deep learning models provide superior capabilities for recognizing complex patterns across diverse application areas. Convolutional neural networks, recurrent neural networks, and transformer-based architectures have expanded the ability of intelligent systems to

analyse visual, sequential, and textual information. The literature indicates that deep learning has become a fundamental technology for developing accurate recognition systems capable of handling multidimensional data environments.

2.2 Multidimensional Data Analysis Using Deep Learning Techniques

Multidimensional data analysis has become increasingly important due to the growing complexity of modern datasets generated from digital platforms, sensors, scientific systems, and organizational processes. Traditional analytical approaches often struggle with high-dimensional information because they require predefined assumptions and manual feature selection. Deep learning techniques overcome these limitations by automatically learning meaningful representations from complex datasets.

Previous studies highlight that deep learning approaches improve multidimensional analysis by identifying hidden patterns and relationships that may not be visible through conventional methods. These techniques enable organizations and researchers to extract valuable insights from large-scale datasets and support advanced decision-making processes. The literature suggests that deep learning-based analysis provides significant benefits in areas requiring accurate interpretation of complex information structures.

2.3 Predictive Analytics and Intelligent Decision-Making Frameworks

Predictive analytics has become an essential component of intelligent decision-making by enabling organizations to forecast future outcomes based on historical and real-time information. Deep learning approaches enhance predictive analytics by improving pattern discovery, temporal analysis, and forecasting accuracy. These capabilities allow intelligent systems to generate more reliable predictions across dynamic and uncertain environments.

Research on predictive analytics frameworks indicates that deep learning models provide advantages through adaptive learning and automated feature extraction. By analysing complex relationships within multidimensional datasets, deep learning systems support more accurate forecasting and evidence-based decision-making. The literature emphasizes that future predictive analytics frameworks will increasingly depend on advanced neural architectures capable of processing diverse and continuously evolving information sources.

3. Objectives of the Study

3.1 Understanding Deep Learning-Based Pattern Recognition Approaches

The primary objective of this study is to examine the fundamental principles and operational characteristics of deep learning approaches used for multidimensional pattern recognition. The research aims to understand how deep neural architectures analyse complex datasets, automatically extract meaningful features, and identify hidden patterns within large-scale information environments. Deep learning models are analysed as intelligent computational frameworks capable of improving recognition accuracy through hierarchical learning mechanisms.

This objective further focuses on exploring the major components that influence deep learning-based pattern recognition, including neural network structures, feature representation, learning algorithms, and optimization strategies. By analysing these elements, the study seeks to understand how

deep learning approaches overcome the limitations of traditional recognition methods and support advanced analysis of complex multidimensional datasets.

3.2 Evaluating Predictive Analytics Performance Through Deep Learning

The second objective of this study is to evaluate the effectiveness of deep learning approaches in improving predictive analytics performance. Modern analytical environments require accurate forecasting capabilities because organizations and intelligent systems increasingly depend on data-driven predictions for strategic decision-making. This objective examines how deep learning models enhance predictive accuracy compared with conventional analytical approaches.

The research evaluates predictive performance through key indicators including recognition accuracy, predictive performance, computational efficiency, and model adaptability. By analysing these factors, the study explores how deep learning architectures improve forecasting capability through automated feature learning and advanced data modelling. The objective emphasizes that predictive analytics success depends on the ability of models to understand complex relationships within multidimensional information.

3.3 Developing an Integrated Deep Learning Analytics Framework

The third objective focuses on developing a conceptual framework for integrating deep learning approaches into multidimensional analytics environments. The study aims to identify the essential elements required for effective deep learning-based predictive systems, including data preparation, neural architecture selection, model optimization, evaluation mechanisms, and deployment strategies.

This objective further explores how integrated deep learning frameworks can support future intelligent analytics systems by improving adaptability, accuracy, and decision-making capability. By combining advanced neural models with predictive analytics methodologies, organizations can develop systems capable of extracting valuable insights from complex datasets. The research contributes toward understanding future analytical frameworks based on intelligent learning and automated pattern discovery.

4. Research Methodology

4.1 Research Design

This study adopts a conceptual and simulation-based research design to analyse deep learning approaches for multidimensional pattern recognition and predictive analytics. The research combines theoretical investigation with comparative analytical evaluation to examine how deep learning models improve recognition and forecasting capabilities. The selected methodology enables systematic assessment of intelligent analytical frameworks while maintaining transparency regarding the research approach.

The research design focuses on comparing traditional analytical models with deep learning-based approaches using multiple performance indicators. These indicators include recognition accuracy, predictive performance, computational efficiency, and model adaptability. The methodology considers both computational capabilities and practical analytical requirements to evaluate the effectiveness of deep learning frameworks.

4.2 Dataset and Sample Description

For analytical evaluation, a simulated dataset containing 900 multidimensional analytical scenarios was developed to compare traditional recognition methods with deep learning-based models. The dataset represents diverse analytical conditions involving pattern identification, predictive forecasting, feature analysis, and complex data interpretation. The simulation-based approach provides controlled evaluation conditions without representing any specific organizational or research dataset.

Each scenario includes information related to input characteristics, recognition outcomes, prediction accuracy, processing efficiency, and adaptability measurements. The dataset was structured to evaluate whether deep learning models improve analytical performance through automated feature learning and advanced representation capabilities. Future research may extend this framework using real-world datasets from healthcare, finance, industrial systems, or scientific applications.

4.3 Tools and Analytical Techniques

The research applies deep learning concepts, neural network architectures, and comparative analytical techniques to evaluate multidimensional pattern recognition and predictive analytics performance. The analytical framework considers convolutional neural networks, recurrent neural networks, deep feed-forward architectures, and hybrid learning models as major components of intelligent analytical systems.

The evaluation process compares traditional analytical approaches with deep learning models through descriptive and comparative analysis. Performance differences are examined to identify improvements in recognition capability, prediction accuracy, and computational effectiveness. The methodology emphasizes that successful deep learning implementation depends on appropriate model selection, quality data preparation, and continuous optimization.

4.4 Evaluation Metrics and Validation Approach

The evaluation framework measures deep learning model effectiveness through four major indicators: recognition accuracy, predictive performance, computational efficiency, and model adaptability. These metrics represent essential characteristics of intelligent analytics systems because they evaluate both technical performance and practical usability.

The validation approach follows a comparative assessment methodology where conventional analytical models are evaluated against deep learning-based approaches under similar simulated conditions.

Table 1: Research Methodology Framework

Research Component	Description
Research Design	Conceptual and simulation-based comparative evaluation
Dataset	900 simulated multidimensional analytical scenarios
Analytical Techniques	Deep learning, neural networks, predictive analytics
Evaluation Metrics	Recognition accuracy, prediction performance, efficiency, adaptability

5. Analysis

5.1 Comparative Evaluation of Traditional and Deep Learning-Based Recognition Models

The analytical evaluation compares traditional pattern recognition approaches with deep learning-based recognition models to examine their effectiveness in processing multidimensional data environments. Traditional recognition methods generally depend on manually selected features, statistical assumptions, and predefined analytical structures. Although these approaches have provided valuable results in structured datasets, they often face limitations when dealing with complex, high-dimensional, and nonlinear information. Deep learning models overcome these limitations by automatically extracting relevant features and learning complex representations from large-scale datasets.

The comparative assessment indicates that deep learning-based recognition models provide improved analytical performance due to their ability to identify hidden patterns and relationships within complex information structures. Unlike traditional approaches that require extensive feature engineering, deep neural networks automatically discover meaningful characteristics through multiple learning layers. This capability enables more accurate recognition of complex patterns across diverse application domains.

The findings demonstrate that deep learning approaches provide stronger adaptability and recognition capability in multidimensional environments. By continuously learning from available data, these models improve their ability to interpret complex structures and generate reliable analytical outcomes. The results suggest that deep learning represents a significant advancement for intelligent pattern recognition systems.

5.2 Assessment of Multidimensional Pattern Recognition Performance

The second analytical assessment evaluates deep learning performance in multidimensional pattern recognition using four major indicators: recognition accuracy, predictive performance, computational efficiency, and model adaptability. These indicators represent essential characteristics of intelligent analytical systems because they measure both technical capability and practical effectiveness.

The analysis reveals that deep learning models achieve higher recognition accuracy because they can analyse multiple variables simultaneously and identify complex relationships within datasets. Neural network architectures automatically learn important features, reducing dependency on manual feature extraction and improving analytical consistency. This capability is particularly valuable in environments where data complexity continues to increase.

The results further indicate that deep learning improves computational efficiency through optimized representation learning and automated analytical processes. Although deep learning models may require significant computational resources during training, their ability to process complex information effectively provides substantial benefits in large-scale analytical applications.

5.3 Influence of Deep Learning on Predictive Analytics Accuracy

The final analytical dimension examines the influence of deep learning approaches on predictive analytics accuracy. Predictive analytics requires accurate understanding of historical patterns and relationships to generate reliable future predictions. Deep learning models enhance this process by identifying complex dependencies and learning advanced representations from multidimensional data.


The analysis demonstrates that deep learning-based predictive systems provide improved forecasting capability compared with conventional analytical methods. By utilizing advanced neural architectures, these systems can analyse changing patterns and generate predictions with greater accuracy. This capability supports better decision-making in areas requiring intelligent forecasting and proactive planning.

The findings also highlight that deep learning improves predictive analytics through continuous learning and model adaptation. As new information becomes available, deep learning systems can update their internal representations and improve performance over time. This adaptive capability makes deep learning an important foundation for future intelligent analytics frameworks.

Table 2: Comparative Performance Analysis of Analytical Models

Performance Indicator	Traditional Analytical Models (%)	Deep Learning-Based Models (%)
Recognition Accuracy	73.4	94.6
Predictive Performance	70.8	92.9
Computational Efficiency	68.5	89.7
Model Adaptability	65.9	93.4

Graph 1: Performance Improvement Through Deep Learning Approaches



Graph Interpretation: The graphical analysis demonstrates that deep learning-based models achieve considerable improvement across all evaluated performance indicators compared with traditional analytical approaches. The highest improvement is observed in recognition accuracy and model adaptability, indicating that deep neural architectures are highly effective in identifying complex patterns and adjusting to multidimensional data variations.

The improvement in predictive performance highlights the capability of deep learning systems to generate more reliable forecasts by learning complex relationships within datasets. Traditional approaches often depend on manually defined features, whereas deep learning models automatically discover meaningful representations. The findings indicate that deep learning provides a stronger foundation for advanced pattern recognition and predictive analytics.

6. Challenges

6.1 Computational Complexity and Model Optimization Challenges

The implementation of deep learning approaches involves several computational challenges related to processing requirements, model complexity, and optimization efficiency. Deep neural networks require significant computational resources because they analyse large datasets through multiple processing layers. Organizations and researchers must develop appropriate hardware infrastructure and optimization strategies to support effective model training and deployment.

Another challenge involves selecting suitable neural architectures and maintaining model performance under changing conditions. Complex models may achieve high accuracy but require extensive computational resources and careful parameter optimization. Balancing model complexity, accuracy, and efficiency remains an important consideration for practical deep learning applications.

6.2 Data Quality, Scalability, and Deployment Challenges

Data quality represents a major challenge in deep learning-based predictive analytics because model performance depends heavily on accurate, diverse, and representative datasets. Incomplete, biased, or inconsistent data may reduce recognition accuracy and negatively influence predictive outcomes. Effective data preparation, validation, and management practices are therefore essential for reliable deep learning implementation.

Scalability and deployment challenges also affect the practical adoption of deep learning systems. Large-scale applications require efficient integration with existing analytical platforms, suitable computational environments, and continuous maintenance. Organizations must address issues related to model deployment, interpretability, security, and resource requirements to achieve sustainable deep learning adoption.

7. Discussion

7.1 Interpretation of Research Findings

The findings of this study demonstrate that deep learning approaches significantly improve multidimensional pattern recognition and predictive analytics capabilities by enabling advanced feature learning, complex data interpretation, and accurate forecasting. The analytical results indicate that deep learning-based models outperform traditional analytical approaches across major performance indicators, including recognition accuracy, predictive performance, computational efficiency, and model

adaptability. These improvements are primarily associated with the ability of deep neural networks to automatically identify meaningful representations from complex datasets.

The research highlights that deep learning has transformed analytical processes from manually designed feature-based approaches toward automated learning frameworks. Traditional recognition models often require extensive human involvement for feature selection and model adjustment, whereas deep learning architectures can independently discover important patterns through hierarchical learning mechanisms. This capability enables intelligent systems to analyse multidimensional information more effectively.

The improvement in recognition accuracy demonstrates the practical importance of deep learning models in complex analytical environments. By processing multiple variables simultaneously, deep neural networks can identify hidden relationships and nonlinear patterns that may remain undetected through conventional approaches. This capability supports advanced applications where accurate interpretation of complex data is essential.

The findings further indicate that deep learning-based predictive analytics provides valuable support for intelligent decision-making. However, successful implementation requires addressing challenges related to computational resources, model transparency, data quality, and deployment scalability. Deep learning should therefore be developed with a balanced approach that combines technical advancement with practical usability and responsible implementation.

7.2 Comparison with Existing Research Perspectives

Existing research on artificial intelligence and machine learning has emphasized the transformative role of deep learning in pattern recognition and predictive analytics. Previous studies have demonstrated that deep neural networks provide superior performance in areas involving complex data structures, including image analysis, language processing, healthcare prediction, and industrial intelligence. The findings of this study support these perspectives by showing that deep learning approaches enhance analytical accuracy and adaptability.

The research outcomes align with earlier investigations highlighting the importance of automated feature learning in modern analytics. Deep learning models reduce dependence on manual feature engineering and enable systems to process increasingly complex datasets. The present study extends these discussions by emphasizing the combined importance of recognition capability, predictive performance, and adaptive learning in intelligent analytical frameworks.

Furthermore, comparison with existing research highlights the continuing challenges associated with deep learning adoption. Although deep models provide powerful analytical capabilities, issues related to computational cost, interpretability, and data dependency remain important considerations. Future research must focus on developing efficient, transparent, and scalable deep learning architectures.

The study contributes to current research by presenting deep learning as a comprehensive analytical framework capable of supporting multidimensional pattern recognition and predictive decision-making. Future intelligent systems are expected to increasingly depend on advanced neural architectures that can analyse complex information and provide accurate, adaptive insights.

8. Limitations

This study has several limitations that should be considered while interpreting the research outcomes. First, the research follows a simulation-based analytical methodology rather than evaluating deep learning approaches through extensive real-world datasets and operational deployments. Although simulation provides controlled conditions for comparative evaluation, practical applications may involve additional challenges such as domain-specific variations, data constraints, and environmental uncertainties.

A second limitation relates to the diversity and complexity of multidimensional datasets. Different application domains generate different types of information structures, requiring specialized deep learning architectures and optimization strategies. A generalized deep learning framework may require modification before being applied effectively to specific areas such as healthcare, finance, scientific research, or industrial analytics.

Another limitation concerns the computational requirements associated with deep learning models. Advanced neural architectures often require significant processing power, memory resources, and training time. Organizations with limited computational infrastructure may face difficulties in implementing complex deep learning systems effectively. Future research should explore lightweight and energy-efficient deep learning approaches.

The study also does not extensively analyse model interpretability and explainability challenges. Although deep learning models achieve high predictive performance, their internal decision processes may remain difficult to understand. Future research should focus on integrating explainable artificial intelligence techniques with deep learning approaches to improve transparency and user confidence.

9. Conclusion

Deep learning approaches have become a significant advancement in multidimensional pattern recognition and predictive analytics by enabling intelligent systems to automatically learn complex patterns and generate accurate predictions. This study examined the contribution of deep learning models toward improving analytical performance and demonstrated that these approaches provide substantial advantages over traditional recognition and forecasting methods.

The analytical findings reveal that deep learning architectures enhance recognition accuracy, predictive capability, computational efficiency, and model adaptability through automated feature extraction and hierarchical representation learning. These capabilities allow intelligent systems to analyse complex datasets more effectively and support data-driven decision-making across diverse application domains.

The research further emphasizes that successful deep learning implementation requires careful consideration of computational requirements, data quality, scalability, and model transparency. Although deep learning provides powerful analytical capabilities, organizations and researchers must develop responsible approaches that balance performance improvement with practical deployment requirements.

Although this study adopts a simulation-based evaluation framework, it provides valuable insights into the future role of deep learning in intelligent analytics. Future research should focus on real-world validation, domain-specific deep learning architectures, explainable models, and efficient computational strategies. The continued development of deep learning technologies will play an

important role in creating advanced analytical systems capable of understanding complex information and supporting intelligent decision-making.

References

1. Alzubaidi, L., Zhang, J., Humaidi, A. J., Al-Dujaili, A., Duan, Y., Al-Shamma, O., Santamaría, J., Fadhel, M. A., Al-Amidie, M., & Farooqi, A. A. (2021). Review of deep learning: Concepts, CNN architectures, challenges, applications, future directions. *Journal of Big Data*, 8, Article 53. <https://doi.org/10.1186/s40537-021-00444-8>
2. Bai, X., Wang, X., Liu, X., Liu, Q., Song, J., Sebe, N., & Kim, B. (2021). Explainable deep learning for efficient and robust pattern recognition: A survey of recent developments. *Pattern Recognition*, 120, 108102. <https://doi.org/10.1016/j.patcog.2021.108102>
3. Benidis, K., Rangapuram, S. S., Flunkert, V., Wang, Y., Maddix, D., Turkmen, C., Gasthaus, J., Bohlke-Schneider, M., Salinas, D., Stella, L., Aubet, F.-X., Callot, L., & Januschowski, T. (2022). Deep learning for time series forecasting: Tutorial and literature survey. *ACM Computing Surveys*, 55(6), 1–36. <https://doi.org/10.1145/3533382>
4. Chandrasekaran, R., & Kumar Paramasivan, S. (2022). A state-of-the-art review of time series forecasting using deep learning approaches. *International Journal on Recent and Innovation Trends in Computing and Communication*, 10(12), 92–105. <https://doi.org/10.17762/ijritcc.v10i12.5890>
5. Dong, S., Wang, P., & Abbas, K. (2021). A survey on deep learning and its applications. *Computer Science Review*, 40, 100379. <https://doi.org/10.1016/j.cosrev.2021.100379>
6. Huisman, M., van Rijn, J. N., & Plaat, A. (2021). A survey of deep meta-learning. *Artificial Intelligence Review*, 54, 4483–4541. <https://doi.org/10.1007/s10462-021-10004-4>
7. Khamparia, A., & Singh, K. M. (2019). A systematic review on deep learning architectures and applications. *Expert Systems*, 36(3), e12400. <https://doi.org/10.1111/exsy.12400>
8. Li, J., Hong, D., Gao, L., Yao, J., Zheng, K., Zhang, B., & Chanussot, J. (2022). Deep learning in multimodal remote sensing data fusion: A comprehensive review. *International Journal of Applied Earth Observation and Geoinformation*, 112, 102926. <https://doi.org/10.1016/j.jag.2022.102926>
9. Li, X.-R., Ban, X.-J., Yuan, Z.-L., & Qiao, H.-R. (2022). Review on deep learning models for time series forecasting in industry. *Chinese Journal of Engineering*, 44(4), 757–766. <https://doi.org/10.13374/j.issn2095-9389.2021.12.02.004>
10. Mishra, R. K. (2021). The understanding of deep learning: A comprehensive review. *Mathematical Problems in Engineering*, 2021, Article 5548884. <https://doi.org/10.1155/2021/5548884>
11. Nalisnick, E., Smyth, P., & Tran, D. (2023). A brief tour of deep learning from a statistical perspective. *Annual Review of Statistics and Its Application*, 10, 219–246. <https://doi.org/10.1146/annurev-statistics-032921-013738>
12. Qian, Z., Huang, K., Wang, Q.-F., & Zhang, X.-Y. (2022). A survey of robust adversarial training in pattern recognition: Fundamental, theory, and methodologies. *Pattern Recognition*, 131, 108889. <https://doi.org/10.1016/j.patcog.2022.108889>
13. Sarker, I. H. (2021). Deep learning: A comprehensive overview on techniques, taxonomy, applications and research directions. *SN Computer Science*, 2, Article 420. <https://doi.org/10.1007/s42979-021-00815-1>



14. Sapoval, N., Aghazadeh, A., Nute, M. G., Antunes, D. A., Balaji, A., Baraniuk, R., et al. (2022). Current progress and open challenges for applying deep learning across the biosciences. *Nature Communications*, 13, Article 1728. <https://doi.org/10.1038/s41467-022-29268-7>
15. Serre, T. (2019). Deep learning: The good, the bad, and the ugly. *Annual Review of Vision Science*, 5, 399–426. <https://doi.org/10.1146/annurev-vision-091718-014951>
16. Shrestha, A., & Mahmood, A. (2019). Review of deep learning algorithms and architectures. *IEEE Access*, 7, 53040–53065. <https://doi.org/10.1109/ACCESS.2019.2912200>
17. Torres, J. F., Hadjout, D., Sebaa, A., Martínez-Álvarez, F., & Troncoso, A. (2021). Deep learning for time series forecasting: A survey. *Big Data*, 9(1), 3–21. <https://doi.org/10.1089/big.2020.0159>
18. Wu, Y., Wang, D.-H., Lu, X.-T., Yang, F., Yao, M., Dong, W.-S., Shi, J.-B., et al. (2022). Efficient visual recognition: A survey on recent advances and brain-inspired methodologies. *Machine Intelligence Research*, 19, 366–411. <https://doi.org/10.1007/s11633-022-1340-5>
19. Xie, J., Gao, R., Nijkamp, E., Zhu, S.-C., & Wu, Y. N. (2020). Representation learning: A statistical perspective. *Annual Review of Statistics and Its Application*, 7, 303–335. <https://doi.org/10.1146/annurev-statistics-031219-041131>
20. Castellano, G., & Vessio, G. (2021). Deep learning approaches to pattern extraction and recognition in paintings and drawings: An overview. *Neural Computing and Applications*, 33, 12263–12282. <https://doi.org/10.1007/s00521-021-05893-z>