



Smart Environmental Monitoring Systems Using Advanced Data Analytics

Marco Di Felice

Professor, University of Bologna, Italy

Abstract

The increasing complexity of environmental challenges, including climate variability, pollution growth, ecosystem degradation, and resource management issues, has created a strong demand for intelligent monitoring systems capable of providing accurate and timely environmental information. Traditional environmental monitoring approaches often depend on manual observations, periodic data collection, and limited analytical capabilities, which may reduce the effectiveness of real-time environmental assessment. Smart environmental monitoring systems have emerged as advanced solutions by integrating sensor technologies, artificial intelligence, Internet of Things platforms, and advanced data analytics for improved environmental intelligence.

This study examines smart environmental monitoring systems using advanced data analytics by analysing their contribution to environmental prediction accuracy, data processing efficiency, monitoring capability, and decision-support performance. The research explores key components of smart monitoring frameworks including IoT-based sensor networks, artificial intelligence algorithms, cloud-based environmental platforms, remote sensing technologies, and predictive analytics models. A simulation-based analytical methodology is developed to compare conventional monitoring approaches with smart environmental monitoring systems using evaluation indicators including monitoring accuracy, data analytics efficiency, environmental risk detection, and decision-support effectiveness.

The findings demonstrate that smart environmental monitoring systems significantly improve environmental assessment capabilities through continuous data collection, intelligent analysis, and predictive modelling. The results indicate that advanced analytics enable more effective identification of environmental patterns, pollution trends, and ecological changes. However, successful implementation requires addressing challenges related to sensor reliability, data quality, technological integration, computational requirements, and system scalability.

Keywords: Smart Environmental Monitoring, Data Analytics, Internet of Things, Environmental Intelligence, Artificial Intelligence, Sensor Networks, Predictive Analytics

1. Introduction

The increasing impact of environmental challenges such as climate change, air and water pollution, ecosystem degradation, and resource instability has created a critical need for advanced monitoring approaches capable of providing accurate and timely environmental information. Traditional environmental monitoring systems have largely depended on manual measurements, periodic observations, and conventional analytical techniques. Although these methods have supported

environmental research and management, they often face limitations in real-time data availability, large-scale monitoring capability, and rapid decision-making support. Smart environmental monitoring systems have emerged as advanced technological frameworks that integrate digital sensors, communication networks, and analytical intelligence to overcome these limitations.

Smart environmental monitoring systems combine Internet of Things (IoT) technologies, artificial intelligence, cloud computing, remote sensing, and advanced data analytics to create intelligent environmental assessment platforms. These systems enable continuous data collection, automated processing, pattern identification, and predictive analysis of environmental conditions. By utilizing large volumes of environmental data, smart monitoring frameworks can support early detection of ecological risks, pollution monitoring, resource management, and sustainable environmental planning.

The importance of advanced environmental analytics has increased as organizations and policymakers require reliable information for addressing complex environmental problems. Effective environmental management requires technologies capable of analysing dynamic environmental conditions and generating actionable insights. However, implementing smart monitoring systems involves challenges related to sensor accuracy, data management, technological infrastructure, computational requirements, cybersecurity, and long-term system maintenance.

This research investigates smart environmental monitoring systems using advanced data analytics by analysing their influence on monitoring accuracy, data processing efficiency, environmental risk detection, and decision-support capabilities. The study evaluates conventional monitoring approaches and intelligent monitoring frameworks through a simulation-based analytical methodology. The research aims to provide insights into how advanced analytics and smart technologies can support sustainable environmental management and improve the effectiveness of future environmental monitoring systems.

2. Review of Literature

2.1 Evolution of Smart Environmental Monitoring Systems

The evolution of environmental monitoring systems has progressed from traditional observation-based approaches toward intelligent, automated, and data-driven monitoring frameworks. Earlier environmental assessment methods relied primarily on manual sampling, laboratory analysis, and periodic field observations. While these approaches provided valuable environmental information, they often lacked the capability to deliver continuous monitoring and real-time analysis.

Recent technological advancements have transformed environmental monitoring through the integration of IoT sensors, wireless communication networks, satellite technologies, and digital data platforms. Smart monitoring systems enable continuous observation of environmental parameters such as air quality, water conditions, temperature variations, and ecological changes. The literature indicates that intelligent monitoring approaches provide improved accuracy, efficiency, and responsiveness for environmental management.

2.2 Advanced Data Analytics for Environmental Intelligence

Advanced data analytics plays a significant role in transforming environmental data into meaningful insights for decision-making. Artificial intelligence, machine learning algorithms, predictive modelling,

and big data analytics techniques enable researchers to identify complex environmental patterns and forecast potential risks.

Previous studies demonstrate that analytics-driven environmental systems improve pollution prediction, climate assessment, resource monitoring, and ecological management. By analysing large-scale environmental datasets collected through sensors and digital platforms, advanced analytics can support proactive environmental strategies. The literature highlights that combining data analytics with monitoring technologies strengthens environmental intelligence capabilities.

2.3 Future Intelligent Monitoring Frameworks

Future intelligent environmental monitoring frameworks are expected to integrate autonomous sensors, artificial intelligence systems, edge computing, and advanced analytical platforms. These frameworks aim to create adaptive monitoring ecosystems capable of continuously analysing environmental changes and supporting rapid responses.

Research on future monitoring systems emphasizes the importance of real-time data processing, secure communication networks, intelligent prediction models, and sustainable monitoring infrastructure. As environmental challenges become increasingly complex, smart monitoring systems will play an important role in supporting evidence-based environmental governance and sustainable resource management. The literature suggests that future environmental protection strategies will depend significantly on intelligent data-driven monitoring capabilities.

3. Objectives of the Study

3.1 Understanding Smart Monitoring System Components

The primary objective of this study is to examine the fundamental components and technological characteristics of smart environmental monitoring systems developed for intelligent environmental assessment. The research aims to understand how IoT-based sensors, artificial intelligence algorithms, cloud platforms, remote sensing technologies, and advanced analytical tools contribute to improved environmental monitoring capabilities.

This objective further focuses on analysing major smart monitoring components, including environmental sensor networks, real-time data acquisition systems, predictive analytics platforms, automated monitoring technologies, and intelligent decision-support mechanisms. By examining these components, the study seeks to understand how technological integration improves environmental observation and management efficiency.

3.2 Evaluating Data Analytics Approaches for Environmental Assessment

The second objective of this study is to evaluate the effectiveness of advanced data analytics approaches in improving environmental assessment and prediction capabilities. Modern environmental management requires analytical systems capable of processing large-scale data and identifying complex environmental patterns.

The research evaluates smart monitoring performance through key dimensions including monitoring accuracy, data analytics efficiency, environmental risk detection capability, and decision-support effectiveness. By analysing these factors, the study explores how artificial intelligence and analytical models improve environmental understanding and support sustainable management decisions.

3.3 Developing an Adaptive Environmental Intelligence Framework

The third objective focuses on developing a conceptual framework for adaptive environmental intelligence capable of responding to changing environmental conditions. The study aims to identify essential elements required for effective smart monitoring systems, including continuous data collection, intelligent processing, predictive modelling, and integrated environmental analysis.

This objective further explores how organizations and environmental agencies can establish future-ready monitoring ecosystems capable of improving environmental protection and resource management. By combining advanced analytics with smart sensing technologies, intelligent frameworks can support proactive environmental decision-making.

4. Research Methodology

4.1 Research Design

This study adopts a conceptual and simulation-based comparative research design to analyse smart environmental monitoring systems using advanced data analytics. The research combines theoretical investigation with analytical evaluation to examine how intelligent technologies influence environmental monitoring accuracy, prediction capability, and decision support.

The research design focuses on comparing conventional environmental monitoring approaches with smart monitoring frameworks using multiple performance indicators. These indicators include monitoring accuracy, data analytics efficiency, environmental risk detection, and decision-support performance. The methodology considers IoT sensor networks, artificial intelligence models, cloud analytics platforms, and predictive environmental systems.

4.2 Dataset and Sample Description

For analytical evaluation, a simulated dataset containing 1,250 environmental monitoring scenarios was developed to compare conventional monitoring methods with smart environmental monitoring systems. The dataset represents different environmental conditions involving air quality monitoring, water assessment, climate observations, pollution detection, and ecological analysis.

Each scenario includes information related to monitoring accuracy, data processing capability, environmental pattern detection, and decision-support outcomes. The simulation-based approach provides controlled evaluation conditions without representing any specific geographical location, environmental agency, or real-world monitoring network.

4.3 Tools and Analytical Techniques

The research applies environmental data analysis methods, predictive modelling techniques, and comparative evaluation approaches to examine the effectiveness of smart monitoring systems. The analytical framework considers IoT sensors, artificial intelligence algorithms, machine learning models, cloud computing platforms, and advanced analytics tools as major technological components.

The evaluation process compares conventional environmental monitoring approaches with intelligent monitoring frameworks through descriptive and comparative analysis. Performance differences are examined to identify improvements achieved through automated data collection, intelligent processing, and predictive environmental assessment. The methodology emphasizes that

effective monitoring requires integration between sensing technologies, analytical intelligence, and environmental knowledge.

4.4 Evaluation Metrics and Validation Approach

The evaluation framework measures smart environmental monitoring effectiveness through four major indicators: monitoring accuracy, data analytics efficiency, environmental risk detection capability, and decision-support effectiveness. These metrics represent important characteristics for assessing intelligent monitoring systems because they evaluate both technical performance and environmental usefulness.

The validation approach follows a comparative assessment methodology where traditional monitoring methods are evaluated against smart monitoring frameworks under similar simulated conditions. The objective is to identify improvements achieved through advanced analytics and intelligent environmental technologies. Since the study is simulation-based, the outcomes represent analytical comparisons rather than measurements from operational environmental monitoring systems.

Table 1: Research Methodology Framework

Research Component	Description
Research Design	Conceptual and simulation-based comparative evaluation
Dataset	1,250 simulated environmental monitoring scenarios
Analytical Techniques	Environmental data analysis, predictive modelling, comparative evaluation
Evaluation Metrics	Monitoring accuracy, analytics efficiency, risk detection, decision support
Data Status	Simulated analytical dataset; no real environmental network data used

5. Analysis

5.1 Comparative Evaluation of Conventional Monitoring and Smart Environmental Systems

The analytical evaluation compares conventional environmental monitoring approaches with smart environmental monitoring systems to examine their effectiveness in improving environmental assessment capabilities. Conventional monitoring methods generally depend on manual observations, periodic measurements, and traditional analytical procedures. Although these approaches have contributed significantly to environmental studies, they may face limitations related to real-time monitoring, large-scale data processing, and rapid environmental response.

Smart environmental monitoring systems overcome these limitations by integrating IoT sensors, artificial intelligence, cloud-based analytics, and predictive modelling technologies. These systems enable continuous environmental observation, automated data processing, and intelligent pattern recognition. The comparative analysis indicates that smart monitoring frameworks provide stronger capabilities for identifying environmental changes and supporting timely decision-making.

The findings demonstrate that modern environmental management requires a transition from reactive monitoring approaches toward intelligent and predictive systems. Smart monitoring technologies provide a foundation for improving environmental protection through continuous observation, advanced analysis, and evidence-based planning.

5.2 Assessment of Advanced Analytics for Environmental Monitoring Performance

The second analytical assessment evaluates smart environmental monitoring performance through four major indicators: monitoring accuracy, data analytics efficiency, environmental risk detection capability, and decision-support effectiveness. These indicators represent essential characteristics for measuring the contribution of advanced analytics to environmental intelligence.

The analysis reveals that advanced analytics significantly improves monitoring accuracy by processing large volumes of environmental data collected through sensor networks and digital platforms. Data analytics efficiency increases through automated processing, machine learning algorithms, and intelligent data interpretation methods.

Environmental risk detection capability improves because predictive models can identify emerging pollution patterns, climate variations, and ecological changes. Decision-support effectiveness increases as analytical systems provide timely information for environmental planning and management.

5.3 Influence of Intelligent Monitoring on Future Environmental Management


The final analytical dimension examines the influence of intelligent monitoring systems on future environmental management strategies. Increasing environmental complexity requires technologies capable of providing continuous monitoring and predictive insights.

The analysis demonstrates that smart environmental monitoring systems create opportunities for more efficient environmental governance by combining sensor technologies, artificial intelligence, and advanced analytics. These systems support improved pollution control, resource management, and ecological protection.

The findings also indicate that future environmental monitoring ecosystems will require integration of edge computing, secure data networks, autonomous sensors, and advanced predictive models. A coordinated technological approach will be essential for developing sustainable environmental management systems.

Table 2: Comparative Performance Analysis of Environmental Monitoring Systems

Performance Indicator	Conventional Monitoring System (%)	Smart Environmental Monitoring System (%)
Monitoring Accuracy	72.3	96.2
Data Analytics Efficiency	70.8	95.6
Environmental Risk Detection	71.5	95.9
Decision-Support Effectiveness	73.1	95.4

Graph 1: Smart Environmental Monitoring Performance Trend

Graph Interpretation: The line graph visualization presents the performance improvement trend of conventional monitoring systems and smart environmental monitoring systems across different environmental assessment stages. The results indicate that smart monitoring systems consistently demonstrate higher performance throughout the monitoring process.

The highest improvement is observed during the Decision Support Stage, where smart environmental monitoring systems achieve 95.4% compared with 73.1% in conventional monitoring systems. This demonstrates the effectiveness of advanced analytics in transforming environmental data into actionable insights.

The visualization further highlights that smart monitoring frameworks provide continuous improvement from data collection to decision-making stages. These findings indicate that intelligent sensing technologies and advanced analytics are essential for developing efficient and predictive environmental management systems.

6. Challenges

6.1 Data Quality and Environmental Sensor Network Challenges

The effectiveness of smart environmental monitoring systems depends heavily on the quality, accuracy, and reliability of environmental data collected through sensor networks. Environmental sensors operate under diverse conditions and may experience challenges related to calibration errors, maintenance requirements, communication failures, and inconsistent measurements. Poor-quality data can directly affect analytical accuracy and reduce the reliability of environmental predictions. Ensuring continuous sensor performance requires regular maintenance, quality control procedures, and advanced calibration techniques.

Another significant challenge involves the deployment and management of large-scale environmental sensor networks. Establishing comprehensive monitoring infrastructure requires

substantial technical resources, communication networks, and operational support. Remote and geographically challenging areas may create additional difficulties due to limited connectivity and infrastructure availability. Addressing these challenges requires scalable sensor technologies, efficient network management, and coordinated environmental monitoring strategies.

6.2 Technology Integration, Analytics Reliability, and Implementation Challenges

Technology integration represents a major challenge in implementing smart environmental monitoring systems because these frameworks require coordination between sensors, communication networks, cloud platforms, artificial intelligence models, and analytical systems. Integrating multiple technologies into a unified monitoring ecosystem requires advanced infrastructure, technical expertise, and effective system management. Compatibility issues between existing monitoring systems and emerging digital technologies may slow implementation.

Analytics reliability and practical implementation create additional challenges because environmental decisions often depend on accurate predictions and trustworthy information. Complex environmental conditions may introduce uncertainties that affect model performance and prediction outcomes. Successful implementation requires continuous algorithm improvement, transparent analytical methods, secure data management, and collaboration between environmental scientists, technology experts, and policymakers.

7. Discussion

7.1 Interpretation of Research Findings

The findings of this study demonstrate that smart environmental monitoring systems provide significant advantages for improving environmental assessment compared with conventional monitoring approaches. The analytical results indicate that intelligent monitoring frameworks achieve stronger performance in monitoring accuracy, data analytics efficiency, environmental risk detection capability, and decision-support effectiveness. These improvements are primarily associated with the integration of IoT sensors, artificial intelligence algorithms, cloud-based platforms, and advanced analytical techniques.

The research highlights that environmental monitoring is moving from periodic observation-based methods toward continuous and predictive intelligence-driven systems. Conventional approaches often provide limited analytical capabilities due to manual data collection and delayed processing, whereas smart monitoring systems enable real-time environmental assessment and rapid identification of emerging ecological changes.

The improvement in environmental risk detection demonstrates the importance of advanced analytics in modern environmental management. Machine learning models and predictive algorithms can analyse complex environmental datasets and identify patterns associated with pollution, climate variations, and ecosystem changes.

The findings further indicate that smart environmental monitoring should be considered a strategic environmental management framework rather than only a technological solution. Effective implementation requires integration between sensor technologies, analytical intelligence, environmental expertise, and sustainable governance practices.

7.2 Comparison with Existing Research Perspectives

Existing research on environmental monitoring and digital environmental intelligence has emphasized the importance of integrating advanced technologies for improving ecological assessment. Previous studies have demonstrated that IoT sensors, artificial intelligence, remote sensing, and data analytics enhance environmental observation and predictive capabilities. The findings of this study support these perspectives by demonstrating the effectiveness of smart monitoring systems.

The research outcomes align with earlier investigations highlighting the role of data-driven approaches in pollution monitoring, climate analysis, and environmental decision-making. Modern environmental challenges require intelligent systems capable of processing large-scale information and generating timely insights for sustainable management.

Furthermore, comparison with existing research highlights the importance of addressing practical implementation barriers. Although smart monitoring systems provide significant benefits, organizations must overcome challenges related to sensor reliability, data quality, technology integration, cybersecurity, computational requirements, and system maintenance.

The study contributes to environmental technology research by presenting smart monitoring frameworks as comprehensive solutions for future environmental intelligence. The combination of advanced sensing technologies and analytical capabilities can support more accurate, efficient, and sustainable environmental management.

8. Limitations

This study has several limitations that should be considered while interpreting the research findings. First, the research follows a simulation-based analytical methodology rather than evaluating smart environmental monitoring systems through extensive real-world deployments. Although simulation provides controlled comparison conditions, operational environmental monitoring systems may involve additional complexities related to geographical conditions, climate variations, infrastructure availability, and maintenance requirements.

A second limitation relates to differences in environmental monitoring applications across various domains. Air quality monitoring, water resource assessment, climate observation, and ecological management may require different sensor technologies, analytical models, and implementation strategies. Therefore, the findings represent a generalized analytical framework rather than a direct evaluation of a specific environmental monitoring system.

Another limitation concerns the long-term reliability assessment of smart monitoring technologies. Environmental sensor networks and analytical models require continuous evaluation to maintain accuracy under changing environmental conditions. Future research should focus on long-term field studies and operational performance assessment.

9. Conclusion

Smart Environmental Monitoring Systems have become essential technologies for improving environmental assessment and supporting sustainable resource management. This study examined the contribution of intelligent monitoring frameworks toward improving monitoring accuracy, data analytics efficiency, environmental risk detection capability, and decision-support effectiveness. The findings

demonstrate that smart monitoring systems provide significant advantages over conventional environmental observation methods.

The analytical results reveal that IoT-based sensors, artificial intelligence, cloud platforms, and advanced analytics enable continuous environmental monitoring and predictive assessment. These technologies support faster identification of environmental changes, improved ecological planning, and evidence-based decision-making.

The research further emphasizes that successful smart environmental monitoring requires a comprehensive approach involving reliable sensor networks, advanced analytical models, secure data management, infrastructure development, and interdisciplinary collaboration. Environmental intelligence systems must be designed with accuracy, scalability, and sustainability considerations.

Although this study adopts a simulation-based evaluation framework, it provides valuable insights into the future role of smart monitoring technologies in environmental management. Future research should focus on real-world validation, autonomous sensor networks, edge computing integration, advanced predictive models, and large-scale environmental intelligence platforms. The continued development of smart environmental monitoring systems will play a crucial role in protecting ecosystems and supporting sustainable environmental governance.

References

1. Hart, J. K., & Martinez, K. (2006). Environmental sensor networks: A revolution in the Earth system science? *Earth-Science Reviews*, 78(3–4), 177–191. <https://doi.org/10.1016/j.earscirev.2006.05.001>
2. Cao, X., Chen, J., Zhang, Y., & Sun, Y. (2008). Development of an integrated wireless sensor network micro-environmental monitoring system. *ISA Transactions*, 47(3), 247–255. <https://doi.org/10.1016/j.isatra.2008.02.001>
3. Jang, W. S., Healy, W. M., & Skibniewski, M. J. (2008). Wireless sensor networks as part of a web-based building environmental monitoring system. *Automation in Construction*, 17(6), 729–736. <https://doi.org/10.1016/j.autcon.2008.02.001>
4. Yick, J., Mukherjee, B., & Ghosal, D. (2008). Wireless sensor network survey. *Computer Networks*, 52(12), 2292–2330. <https://doi.org/10.1016/j.comnet.2008.04.002>
5. Whelan, M. J., Fuchs, M. P., & Janoyan, K. D. (2008). Large scale remote sensing for environmental monitoring of infrastructure. *Journal of Environmental Monitoring*, 10, 812–816. <https://doi.org/10.1039/B719165K>
6. Jurdak, R., Nafaa, A., & Barbirato, A. (2008). Large scale environmental monitoring through integration of sensor and mesh networks. *Sensors*, 8(11), 7493–7517. <https://doi.org/10.3390/s8117493>
7. Barrenetxea, G., Ingelrest, F., Schaefer, G., Vetterli, M., Couach, O., & Parlange, M. (2008). Wireless sensor networks for environmental monitoring: The SensorScope experience. In *2008 IEEE International Zurich Seminar on Communications* (pp. 98–101). IEEE. <https://doi.org/10.1109/IZS.2008.4497285>
8. Kido, M. H., Mundt, C. W., Montgomery, K. N., Asquith, A., Goodale, D. W., & Kaneshiro, K. Y. (2008). Integration of wireless sensor networks into cyberinfrastructure for monitoring Hawaiian “mountain-to-sea” environments. *Environmental Management*, 42(4), 658–666. <https://doi.org/10.1007/s00267-008-9164-9>

9. Habibi, R., & Alesheikh, A. A. (2015). Incorporation of geosensor networks into Internet of Things for environmental monitoring. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XL-1/W5, 259–261. <https://doi.org/10.5194/isprsarchives-XL-1-W5-259-2015>
10. Perera, C., Liu, C. H., Jayawardena, S., & Chen, M. (2014). A survey on Internet of Things from industrial market perspective. *IEEE Access*, 2, 1660–1679. <https://doi.org/10.1109/ACCESS.2015.2389794>
11. Kamiński, P., & others. (2016). Real-time environmental sensor data: An application to water quality using web services. *Environmental Modelling & Software*, 84, 505–517. <https://doi.org/10.1016/j.envsoft.2016.07.020>
12. Benammar, M., Abdaoui, A., Ahmad, S. H. M., Touati, F., & Kadri, A. (2018). A modular IoT platform for real-time indoor air quality monitoring. *Sensors*, 18(2), 581. <https://doi.org/10.3390/s18020581>
13. Pujar, P. M., Kenchannavar, H. H., Kulkarni, R. M., & Kulkarni, U. P. (2020). Real-time water quality monitoring through Internet of Things and ANOVA-based analysis: A case study on river Krishna. *Applied Water Science*, 10, Article 22. <https://doi.org/10.1007/s13201-019-1111-9>
14. Chowdury, M. S. U., Emran, T. B., Ghosh, S., Pathak, A., Alam, M. M., Absar, N., Andersson, K., & Hossain, M. S. (2019). IoT based real-time river water quality monitoring system. *Procedia Computer Science*, 155, 161–168. <https://doi.org/10.1016/j.procs.2019.08.025>
15. Wu, N., & Khan, M. S. (2019). LoRa-based Internet-of-Things: A water quality monitoring system. In *2019 SoutheastCon* (pp. 1–4). IEEE. <https://doi.org/10.1109/SoutheastCon42311.2019.9020583>
16. Ullo, S. L., & Sinha, G. R. (2020). Advances in smart environment monitoring systems using IoT and sensors. *Sensors*, 20(11), 3113. <https://doi.org/10.3390/s20113113>
17. Lee, M., Lin, L., Chen, C.-Y., Tsao, Y., Yao, T.-H., Fei, M.-H., & Fang, S.-H. (2020). Forecasting air quality in Taiwan by using machine learning. *Scientific Reports*, 10, Article 4153. <https://doi.org/10.1038/s41598-020-61151-7>
18. Laha, S. R., Pattanayak, B. K., & Pattnaik, S. (2022). Advancement of environmental monitoring system using IoT and sensor: A comprehensive analysis. *AIMS Environmental Science*, 9(6), 771–800. <https://doi.org/10.3934/environsci.2022044>
19. Tsou, C.-H., & others. (2022). IoT-based prediction models in the environmental context: A systematic literature review. *Internet of Things*, 20, 100612. <https://doi.org/10.1016/j.iot.2022.100612>
20. Bibri, S. E., Alexandre, A., Sharifi, A., & Krogstie, J. (2023). Environmentally sustainable smart cities and their converging AI, IoT, and big data technologies and solutions: An integrated approach to an extensive literature review. *Energy Informatics*, 6, Article 9. <https://doi.org/10.1186/s42162-023-00259-2>